


SAFE RUNWAYS AND A CLEAN ENVIRONMENT

SPEC: CRYOTECH Liquid Runway Deicer



BENEFITS

- Safe for runways: meets FAA approved specifications
- Safe for the environment: non-persistent, biodegradable, low BOD
- * Fast: runways are available sooner
- Staying power: works longer, requiring fewer applications
- Easy to apply: applied with existing equipment

PERFORMANCE

- Excellent anti-icing characteristics
- Active at low temperatures (-20°F and below)
- Less slippery than glycol-based products

APPLICATION

- $\$ Deicing: 1 gallon /1000 ft² (50 g/m²) near 32°F (0°C) on thin ice
 - 3 gallons/1000 ft² (150 g/m²)below 10°F (-12°C) on 1 inch ice
- * Anti-icing: 0.5 gallons/1000 ft² (25 g/m²)
- Reapply when new accumulation shows first tendency to bond
- Plow often to reduce fluid dilution
- Prewetting apply at spreader outlet at a rate of 1.25 gallons per 100 lbs. (130 g/kg) of solid deicer

ENVIRONMENT

- **& Low BOD**
- Biodegrades at low temperatures
- * Does not contain urea
- Low toxicity to fish, mammals, and vegetation

HANDLING

- Polyethylene, carbon, low alloy, or stainless steel containers
- Containers must be clean and free of rust, surface deposits, and residues
- Do not use galvanized materials

PRODUCT SPECIFICATIONS - CRYOTECH E36®

COMPOSITION

APPEARANCE DENSITY VISCOSITY

FLASH POINT

FREEZING POINT
MISCIBILITY
WITH WATER
STORAGE
TYPICAL pH
SPECIFIC GRAVITY
PACKAGE SIZE

BOD (Biological Oxygen Demand) 50% aqueous potassium acetate solution, by weight, plus corrosion inhibitors

Clear, colorless*, mobile liquid, free from matter in suspension

at 20° C (68°F) = 10.7 lbs/gallon (1.28 g/cm³)

at 20° C $(68^{\circ}$ F) = 10 cp maximum at 0° C $(32^{\circ}$ F) = 20 cp maximum

Nonflammable

-60°C (-76°F)

Complete


No special storage required**

 11.0 ± 0.5

At 20° C = 1.25 - 1.30

55 gallon drum (208 liters) 265 gallon tote (1003 liters)

- May have blue food grade dye added at customer request
- ** Do not use galvanized materials



E36 LRD Requires Less Oxygen to Biodegrade

FOR ORDER INFORMATION CONTACT: CRYOTECH DEICING TECHNOLOGY

6103 ORTHOWAY

FORT MADISON, IOWA 52627

PHONE: 319/372-6012 OR 800/346-7237

FAX: 319/372-2662

E-MAIL: DEICERS@CRYOTECH.COM WEB: HTTP://WWW.CRYOTECH.COM

FE36-9 Revised 4/01