

SDB CONSULTANTS LTD -- SLYDE II LUBRICATING COMPOUND - LUBRICATING COMPOUND, DIMETHY
MATERIAL SAFETY DATA SHEET
NSN: 9150008237860
Manufacturer's CAGE: OPGK2
Part No. Indicator: A
Part Number/Trade Name: SLYDE II LUBRICATING COMPOUND
=====

General Information
=====

Item Name: LUBRICATING COMPOUND, DIMETHYLSILICONE
Company's Name: SDB CONSULTANTS LTD
Company's Street: 401 WHITNEY AVE SUITE 206
Company's City: GRETNA
Company's State: LA
Company's Country: US
Company's Zip Code: 70056
Company's Emerg Ph #: 504-366-9105
Company's Info Ph #: 504-368-7900
Record No. For Safety Entry: 005
Tot Safety Entries This Stk#: 020
Status: SE
Date MSDS Prepared: 01AUG94
Safety Data Review Date: 13MAR96
Supply Item Manager: CX
MSDS Preparer's Name: UNKNOWN
MSDS Serial Number: BYFZJ
Specification Number: NONE
Spec Type, Grade, Class: NONE
Hazard Characteristic Code: J7
Unit Of Issue: CN
Unit Of Issue Container Qty: 16 OZ
Type Of Container: AEROSOL CAN
Net Unit Weight: 1.0 LBS
=====

Ingredients/Identity Information
=====

Proprietary: NO
Ingredient: TRICHLOROTRIFLUOROETHANE
Ingredient Sequence Number: 01
Percent: 37
NIOSH (RTECS) Number: KJ3975000
CAS Number: 354-58-5
OSHA PEL: NOT ESTABLISHED
ACGIH TLV: NOT ESTABLISHED
Other Recommended Limit: 1000 PPM

Proprietary: NO
Ingredient: METHYL CHLOROFORM (1, 1, 1-TRICHLOROETHANE) (SARA 313) (CERCLA)
Ingredient Sequence Number: 02
Percent: 35
NIOSH (RTECS) Number: KJ2975000
CAS Number: 71-55-6
OSHA PEL: 350 PPM
ACGIH TLV: 350 PPM/450STEL; 9495
Other Recommended Limit: NONE RECOMMENDED

Proprietary: NO

Ingredient: HYDROCARBON PROPELLANT
Ingredient Sequence Number: 03
Percent: 20
NIOSH (RTECS) Number: 1000055HP
OSHA PEL: NOT ESTABLISHED
ACGIH TLV: NOT ESTABLISHED
Other Recommended Limit: NONE RECOMMENDED

Physical /Chemical Characteristics

Appearance And Odor: AEROSOL WITH HYDROCARBON ODOR.
Boiling Point: UNKNOWN
Melting Point: UNKNOWN
Vapor Pressure (MM Hg/70 F): UNKNOWN
Vapor Density (Air=1): UNKNOWN
Specific Gravity: UNKNOWN
Decomposition Temperature: UNKNOWN
Evaporation Rate And Ref: 1.2 (METHOD UNKNOWN)
Solubility In Water: NEGLIGIBLE
Viscosity: UNKNOWN
Corrosion Rate (IPY): UNKNOWN

Fire and Explosion Hazard Data

Flash Point: NONE
Lower Explosive Limit: 6.2
Upper Explosive Limit: 17.2
Extinguishing Media: WATER FOG, CARBON DIOXIDE, DRY CHEMICAL, MECHANICAL FOAM
Special Fire Fighting Proc: WEAR SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE GEAR.
Unusual Fire And Expl Hazrds: NONE.

Reactivity Data

Stability: YES
Cond To Avoid (Stability): OPEN FLAMES OR WELDING ARCS.
Materials To Avoid: NONE.
Hazardous Decomp Products: HYDROCARBON AND SMALL AMOUNTS OF CHLORINE AND PHOSGENE.
Hazardous Poly Occur: NO
Conditions To Avoid (Poly): WILL NOT OCCUR.

Health Hazard Data

LD50- LC50 Mixture: UNKNOWN
Route Of Entry - Inhalation: YES
Route Of Entry - Skin: NO
Route Of Entry - Ingestion: NO
NONE SPECIFIED BY MANUFACTURER.
Carcinogeni city - NTP: NO
Carcinogeni city - IARC: NO
Carcinogeni city - OSHA: NO
Explanation Carcinogeni city: NO INGREDIENT OF A CONCENTRATION OF 0.1% OR GREATER IS LISTED AS A CARCINOGEN OR SUSPECTED CARCINOGEN.
Signs/Symptoms Of Overexp: HEADACHE, NAUSEA, DIZZINESS.
Med Cond Aggravated By Exp: NONE SPECIFIED BY MANUFACTURER.

Emergency/First Aid Proc: INHALED- REMOVE PERSON TO FRESH AIR. INGESTED- DO NOT INDUCE VOMITING! GET MEDICAL ATTENTION. EYES- WASH WITH LOTS OF WATER FOR 15 MINUTES. SKIN- FLUSH WITH WATER.

=====

Precautions for Safe Handling and Use

=====

Steps If Matl Released/Spill: MOP, WIPE OR SOAK UP WITH ABSORBENT MATERIAL USING PROPER PROTECTIVE EQUIPMENT.

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Waste Disposal Method: DO NOT INCINERATE OR PUNCTURE CAN. WRAP CONTAINER AND DISPOSE OF IN NORMAL TRASH. DISPOSE OF IAW LOCAL, STATE AND FEDERAL REGULATIONS.

Precautions- Handling/Storing: DO NOT STORE ABOVE 120F.

Other Precautions: AVOID BREATHING OF VAPORS. USE ADEQUATE VENTILATION. KEEP AWAY FROM CHILDREN.

=====

Control Measures

=====

Respiratory Protection: IF ENGINEERING CONTROLS FAIL OR NON-ROUTINE USE OR AN EMERGENCY OCCURS; WEAR AN MSHA/NIOSH APPROVED AIR-SUPPLIED RESPIRATOR OR SCBA, AS REQUIRED. USE IN ACCORDANCE WITH 29 CFR 1910.134 AND MANUFACTURER'S RECOMMENDATIONS.

Ventilation: USE ADEQUATE MECHANICAL VENTILATION OR LOCAL EXHAUST TO MAINTAIN EXPOSURE BELOW TLV(S).

Protective Gloves: NEOPRENE.

Eye Protection: CHEMICAL SPLASH GOGGLES

Other Protective Equipment: RUBBER APRON TO AVOID WETTING CLOTHES.

Work Hygienic Practices: WASH HANDS AFTER HANDLING AND BEFORE EATING, DRINKING, OR SMOKING. LAUNDER CONTAMINATED CLOTHES BEFORE REUSE.

=====

Transportation Data

=====

Trans Data Review Date: 96073

DOT PSN Code: AGD

DOT Proper Shipping Name: AEROSOLS, NON- FLAMMABLE,

DOT Class: 2.2

DOT ID Number: UN1950

DOT Label: NONFLAMMABLE GAS

IMD PSN Code: AIY

IMD Proper Shipping Name: AEROSOL DISPENSERS

IMD Regulations Page Number: 9022

IMD UN Number: 1950

IMD UN Class: 9

IMD Subsidiary Risk Label: -

IATA PSN Code: ANB

IATA UN ID Number: 1950

IATA Proper Shipping Name: AEROSOLS, 20, *

IATA UN Class: 2.2

IATA Label: NON- FLAMMABLE GAS

AFI PSN Code: ANB

AFI Symbols: *

AFI Prop. Shipping Name: AEROSOLS, NON- FLAMMABLE, N. O. S.

AFI Class: 2.2

AFI ID Number: UN1950

AFI Basic Pac Ref: A6.3

N. O. S. Shipping Name: CONTAINS TRICHLOROTRIFLUORETHANE, 37% AND METHYL CHLOROFORM 35%

**Additional Trans Data: PER T.I.R. CONTAINER SHALL CONFORM TO A UN
CERTIFIED IP7B AEROSOL CAN IN A UN CERTIFIED 4G FIBERBOARD BOX.**

=====

Disposal Data

=====

=====

Label Data

=====

Label Required: YES
Technical Review Date: 13MAR96
Label Status: F
Common Name: SLYDE II LUBRICATING COMPOUND
Chronic Hazard: NO
Signal Word: WARNING!
Acute Health Hazard-Moderate: X
Contact Hazard-None: X
Fire Hazard-None: X
Reactivity Hazard-None: X
**Special Hazard Precautions: EXPOSURE MAY CAUSE HEADACHE, DIZZINESS,
NAUSEA. TARGET ORGANS: CNS. IN CASE OF SPILL: MOP, WIPE OR SOAK UP WITH
ABSORBENT MATERIAL USING PROPER PROTECTIVE EQUIPMENT. FIRST AID: INHALED-
REMOVE PERSON TO FRESH AIR. INGESTED- DO NOT INDUCE VOMITING! GET MEDICAL
ATTENTION. EYES- WASH WITH LOTS OF WATER FOR 15 MINUTES. SKIN- FLUSH WITH
WATER.**
Protect Eye: Y
Protect Skin: Y
Protect Respiratory: Y
Label Name: SDB CONSULTANTS LTD
Label Street: 401 WHITNEY AVE SUITE 206
Label City: GRETNA
Label State: LA
Label Zip Code: 70056
Label Country: US
Label Emergency Number: 504- 366- 9105