

KEYSTONE ANILINE -- 606-026-50 KEYSTONE OIL RED OE
MATERIAL SAFETY DATA SHEET
NSN: 915000F040064
Manufacturer's CAGE: 24877
Part No. Indicator: A
Part Number/Trade Name: 606-026-50 KEYSTONE OIL RED OE

=====

General Information

=====

Company's Name: KEYSTONE ANILINE CORP
Company's Street: 2501 W FULTON
Company's City: CHICAGO
Company's State: IL
Company's Country: US
Company's Zip Code: 60612-2103
Company's Emerg Ph #: 312-666-2015
Company's Info Ph #: 312-666-2015
Record No. For Safety Entry: 001
Tot Safety Entries This Stk#: 001
Status: SE
Date MSDS Prepared: 30JAN95
Safety Data Review Date: 26MAY95
Preparer's Company: KEYSTONE ANILINE CORP
Preparer's St Or P. O. Box: 2501 W FULTON
Preparer's City: CHICAGO
Preparer's State: IL
Preparer's Zip Code: 60612-2103
MSDS Serial Number: BXKWX

=====

Ingredients/Identity Information

=====

Proprietary: NO
Ingredient: C. I. SOLVENT RED 26 *95-1*
Ingredient Sequence Number: 01
Percent: <1
NIOSH (RTECS) Number: 1006718SR
CAS Number: 4477-79-6

=====

Physical /Chemical Characteristics

=====

Appearance And Odor: RED POWER W/NO ODOR
Solubility In Water: INSOLUBLE

=====

Fire and Explosion Hazard Data

=====

Extinguishing Media: ALL METHODS ACCEPTABLE
Special Fire Fighting Proc: WEAR SELF CONTAINED BREATHING APPARATUS W/
FULL PROTECTIVE CLOTHING.
Unusual Fire And Expl Hazrds: AVOID DUSTY CONDITIONS. ORGANIC DUSTS HAVE
EXPLOSION POTENTIAL IF MIXED W/AIR IN CRITICAL PROPORTIONS IN PRESENCE OF A
SOURCE OF IGNITION.

=====

Reactivity Data

=====

Stability: YES
Cond To Avoid (Stability): HEAT, OPEN FLAME & OTHER IGNITION SOURCES
Materials To Avoid: STRONG OXIDIZING AGENTS

Hazardous Decomp Products: OXIDES OF CARBON & NITROGEN

Hazardous Poly Occur: NO

=====

Health Hazard Data

=====

Route Of Entry - Inhalation: NO

Route Of Entry - Skin: NO

Route Of Entry - Ingestion: YES

MAY BE HARMFUL.

Carcinogeni ci ty - NTP: NO

Carcinogeni ci ty - IARC: NO

Carcinogeni ci ty - OSHA: NO

Explanati on Carcinogeni ci ty: NONE

Signs/Symptoms Of Overexp: IRRITATION

Emergency/First Aid Proc: INHALATION: MOVE TO FRESH AIR. IF DIFFICULTY BREATHING, GIVE OXYGEN. INGESTION: GIVE SEVERAL GLASSES OF WATER & INDUCE VOMITING. NEVER GIVE FLUIDS/INDUCE VOMITING IF UNCONSCIOUS/HAVING CONVULSIONS. EYES: FLUSH W/FLOWING WATER FOR 15 MINS. SKIN: WASH W/SOAP & WATER. OBTAIN MEDICAL ATTENTION IN ALL CASES.

=====

Precautions for Safe Handling and Use

=====

Steps If Matl Released/Spill: WEAR A NIOSH APPROVED DUST RESPIRATOR W/ SPECIAL PROTECTION CLOTHING & EQUIPMENT. USE AN ABSORBENT TO PREVENT DUSTING, SWEEP/SHOVEL INTO A WASTE DISPOSAL CONTAINER. WASH DOWN THE AREA W/DILUTE BLEACH.

Waste Disposal Method: BURY/INCINERATE IN ACCORDANCE W/LOCAL, STATE & FEDERAL REGULATIONS.

Precautions- Handling/Storing: CONTAINERS MAY CONTAIN PRODUCT RESIDUES & SHOULDN' T BE REUSED W/OUT PROFESSIONAL CLEANING & RECONDITIONING. HANDLE W/ CARE.

Other Precautions: AVOID PERSONAL CONTACT. USE GOOD INDUSTRIAL PRACTICES. WHEN SELECTING PROTECTIVE EQUIPMENT & CLOTHING. FOLLOW MANUFACTURERS SPECIFICATIONS & RECOMMENDATIONS FOR YOUR PARTICULAR OPERATION, PROCESSES, CONDITIONS & MATERIALS BEING HANDLED.

=====

Control Measures

=====

Respiratory Protection: WEAR NIOSH APPROVED DUST RESPIRATOR

Ventilation: LOCAL EXHAUST

Protective Gloves: IMPERVIOUS RUBBER

Eye Protection: CHEMICAL SAFETY GOGGLES

Other Protective Equipment: LONG SLEEVED SHIRT, PANTS, COVERALLS, BOOTS, DELUGE SAFETY SHOWER & EYE WASH

Work Hygieni c Practices: REMOVE/LAUNDER CONTAMINATED CLOTHING BEFORE REUSE.

=====

Transportation Data

=====

Disposal Data

=====

Label Data

=====

Label Required: YES

Label Status: G

Common Name: 606-026-50 KEYSTONE OIL RED OE
MAY BE HARMFUL. IRRITATION
Label Name: KEYSTONE ANILINE CORP
Label Street: 2501 W FULTON
Label City: CHICAGO
Label State: IL
Label Zip Code: 60612-2103
Label Country: US
Label Emergency Number: 312-666-2015