ISP MANAGEMENT -- PREPRITE COATING REMOVER - CLEANING COMPOUND, SOLVENT

MATERIAL SAFETY DATA SHEET

NSN: 6850013830780

Manufacturer's CAGE: OSXX1 Part No. Indicator: A

Part Number/Trade Name: PREPRITE COATING REMOVER

\_\_\_\_\_\_

### General Information

\_\_\_\_\_\_

Item Name: CLEANING COMPOUND, SOLVENT Company's Name: ISP MANAGEMENT CO INC Company's Street: 1361 ALPS ROAD

Company's City: WAYNES Company's State: NJ Company's Country: US

Company's Zip Code: 07470-3688 Company's Emerg Ph #: 201-628-3383 Company's Info Ph #: 201-628-3383

Distributor/Vendor # 1: GAF CHEMICALS CORP SUB OF GAF CORP

Distributor/Vendor # 1 Cage: 46575 Record No. For Safety Entry: 001 Tot Safety Entries This Stk#: 002

Status: SM

Date MSDS Prepared: 06AUG93 Safety Data Review Date: 03FEB94

Supply Item Manager: S9G MSDS Serial Number: BSJCB Hazard Characteristic Code: C4

Unit Of Issue: DR

Unit Of Issue Container Qty: 460 POUNDS

Type Of Container: DRUM Net Unit Weight: 460 POUNDS

\_\_\_\_\_

# Ingredients/Identity Information

\_\_\_\_\_\_

Proprietary: NO

Ingredient: 1-METHYLPYRROLIDONE Ingredient Sequence Number: 01

Percent: 60-100%

NIOSH (RTECS) Number: UY5790000

CAS Number: 872-50-4
OSHA PEL: NOT ESTABLISHED
ACGIH TLV: NOT ESTABLISHED

Other Recommended Limit: 100 PPM

\_\_\_\_\_\_

# Physical/Chemical Characteristics

\_\_\_\_\_\_

Appearance And Odor: CLEAR LIQUID, AMINE ODOR

Boiling Point: 396F, 202C Melting Point: -11F, -24C

Vapor Pressure (MM Hg/70 F): < 0.30

Vapor Density (Air=1): 3.00 Specific Gravity: 1.02-1.04

Decomposition Temperature: UNKNOWN

Evaporation Rate And Ref: < 1 (BUTYL ACETATE=1)

Solubility In Water: SOLUBLE Percent Volatiles By Volume: NIL pH: 8-9

Corrosion Rate (IPY): UNKNOWN

\_\_\_\_\_

# Fire and Explosion Hazard Data

\_\_\_\_\_\_

Flash Point: 193F, 89C Flash Point Method: SCC

Lower Explosive Limit: NOT GIVEN Upper Explosive Limit: NOT GIVEN

Extinguishing Media: WATER, ALCOHOL FOAM, DRY CHEMICAL, CARBON DIOXIDE Special Fire Fighting Proc: FIRE FIGHTERS SHOULD WEAR POSITIVE PRESSURE, FULL FACE, SELF-CONTAINED BREATHING APPARATUS. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY.

Unusual Fire And Expl Hazrds: AFTER FIRE IS EXTINGUISHED, MATERIAL VAPORS COULD ACCUMULATE, TRAVEL TO SOURCE OF IGNITION AND FLASH BACK. FIRE HAZARD WHEN EXPOSED TO HEAT, SPARKS OR FLAMES.

\_\_\_\_\_\_

## Reactivity Data

\_\_\_\_\_\_

Stability: YES

Cond To Avoid (Stability): HEAT, FIRE, IGNITION SOURCES

Materials To Avoid: STRONG OXIDIZERS

Hazardous Decomp Products: CARBON DIOXIDE, CARBON MONOXIDE, OXIDES OF

NITROGEN, SMOKE

Hazardous Poly Occur: NO

Conditions To Avoid (Poly): NONE. WILL NOT OCCUR.

\_\_\_\_\_

#### Health Hazard Data

\_\_\_\_\_\_

LD50-LC50 Mixture: LD50 ORAL >5000 MG/KG (MALE RAT)

Route Of Entry - Inhalation: NO

Route Of Entry - Skin: YES

Route Of Entry - Ingestion: NO

Health Haz Acute And Chronic: NO EFFECTS EXPECTED FROM INGESTION EXPOSURE.

NO EFFECTS OF INHALATION EXPOSURE EXPECTED. IF MISTED AT HIGH

CONCENTRATIONS, MAY CAUSE PALLOR, NAUSEA, ANESTHETIC OR NARCOTIC EFFECTS.

PROLONGED OR REPEATED SKIN CONTACT CAUSES REDNESS, SWELLLING, CRACKING.

VAPORS CAUSE SLIGHT EYE DISCOMFORT. SPLASHES IN EYES IRRITATING.

Carcinogenicity - NTP: NO

Carcinogenicity - IARC: NO

Carcinogenicity - OSHA: NO

Explanation Carcinogenicity: THIS COMPOUND CONTAINS NO INGREDIENTS AT CONCENTRATIONS OF 0.1% OR GREATER THAT ARE CARCINOGENS OR SUSPECT CARCINOGENS.

Signs/Symptoms Of Overexp: PALLOR, NAUSEA, ANESTHETIC/NARCOTIC EFFECTS, REDNESS/SWELLING/CRACKING OF THE SKIN, EYE IRRITATION, PAINFUL BURNING OR STINGING OF THE EYES AND EYELIDS, WATERING OF EYES, CONJUNCTIVITIS.

Med Cond Aggravated By Exp: NONE SPECIFIED BY MANUFACTURER.

Emergency/First Aid Proc: INGESTION: INDUCE VOMITING IMMEDIATELY BY GIVING TWO GLASSES OF WATER AND STICKING FINGER DOWN THROAT. NEVER GIVE ANYTHING BY MOUTH IF UNCONSCIOUS. CALL A PHYSICIAN. INHALATION: REMOVE TO FRESH AIR. IF NOT BREATHING OR BREATHING IS DIFFICULT, CALL A PHYSICIAN. SKIN: WASH WITH SOAP AND WATER. CALL A PHYSICIAN. EYES: IMMEDIATELY FLUSH WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES. CALL A PHYSICIAN.

\_\_\_\_\_\_

Precautions for Safe Handling and Use

\_\_\_\_\_\_

Steps If Matl Released/Spill: ELIMINATE SOURCES OF IGNITION. ABSORB WITH EARTH, SAND OR SIMILAR INERT MATERIAL AND DISPOSE OF ACCORDING TO FEDERAL, STATE AND LOCAL REGULATIONS. FLUSH SPILL AREA WITH A WATER SPRAY.

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Waste Disposal Method: PREVENT WASTE FROM CONTAMINATING SURROUNDING ENVIRONMENT. DISCARD ANY PRODUCT, RESIDUE, DISPOSAL CONTAINER OR LINER IN ACCORDANCE WITH ALL FEDERAL, STATE AND LOCAL REGULATIONS.

Precautions-Handling/Storing: AVOID CONTACT WITH EYES, SKIN AND CLOTHING. WASH THOROUGHLY AFTER HANDLING. AT HIGH CONCENTRATIONS, USE WITH ADEQUATE VENTILATION. KEEP CLOSED.

Other Precautions: WASH EQUIPMENT THOROUGHLY WITH STEAM OR WARM WATER UNTIL CLEAN. CHECK FOR FLAMMABLES WITH AN EXPLOSION METER AND ALSO CHECK THE OXYGEN LEVEL WITH OXYGEN METER. IN ALL CASES, FOLLOW GOOD INDUSTRIAL SAFETY PRACTICES BEFORE ENTERING EQUIPMENT.

\_\_\_\_\_\_

#### Control Measures

\_\_\_\_\_

Respiratory Protection: NIOSH-APPROVED RESPIRATOR, WHERE TLV OR PEL MAY BE EXCEEDED.

Ventilation: AT HIGH CONCENTRATIONS, USE WITH ADEQUATE VENTILATION.

Protective Gloves: LATEX, NEOPRENE Eye Protection: CHEMICAL GOGGLES.

Other Protective Equipment: EMERGENCY EYEWASH STATION AND SHOWER.

Work Hygienic Practices: WASH THOROUGHLY AFTER HANDLING.

Suppl. Safety & Health Data: KEEP CONTAINER AND VAPORS FROM THIS CONTAINER AWAY FROM HEAT, SPARKS AND FLAME. WASH CONTAMINATED CLOTHING BEFORE REUSE.

\_\_\_\_\_

# Transportation Data

Trans Data Review Date: 94034

DOT PSN Code: ZZZ

DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

IMO PSN Code: ZZZ

IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION

IATA PSN Code: ZZZ

IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

AFI PSN Code: ZZZ

AFI Prop. Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

# Disposal Data

\_\_\_\_\_

# Label Data

# 

Label Required: YES

Technical Review Date: 03FEB94

MFR Label Number: NONE

Label Status: F

Common Name: PREPRITE COATING REMOVER

Chronic Hazard: YES Signal Word: WARNING!

Acute Health Hazard-Slight: X Contact Hazard-Moderate: X Fire Hazard-Slight: X

Reactivity Hazard-None: X

Special Hazard Precautions: AVOID CONTACT WITH EYES, SKIN AND CLOTHING. WASH THOROUGHLY AFTER HANDLING. AT HIGH CONCENTRATIONS, USE WITH ADEQUATE

VENTILATION. KEEP CLOSED. FIRST AID: INGESTION: INDUCE VOMITING IMMEDIATELY BY GIVING TWO GLASSES OF WATER AND STICKING FINGER DOWN THROAT. NEVER GIVE ANYTHING BY MOUTH IF UNCONSCIOUS. CALL A PHYSICIAN. INHALATION: REMOVE TO FRESH AIR. IF NOT BREATHING OR BREATHING IS DIFFICULT, CALL A PHYSICIAN. SKIN: WASH WITH SOAP AND WATER. CALL A PHYSICIAN. EYES: IMMEDIATELY FLUSH WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES. CALL A PHYSICIAN.

Protect Eye: Y Protect Skin: Y

Protect Respiratory: Y

Label Name: ISP MANAGEMENT CO INC

Label Street: 1361 ALPS ROAD

Label City: WAYNES Label State: NJ

Label Zip Code: 07470-3688

Label Country: US

Label Emergency Number: 201-628-3383

4 of 4 6/17/99 2:46 PM